



11.0M RAFNAR



8.3M FAST TENDER



12.3M GUEST TENDER



8.3M MULTI-P TENDER



4.8M NARVAL SOLAS

info@tendersx.com

www.tendersx.co







The Rafnar range of crafts, developed from the revolutionary 'ÖK Hull & Keel Technology', ensures seakeeping, safety, and comfort-at-sea in the most extreme maritime environments.

The Rafnar 1100 is ideally suited for passenger transportation, recreation and adventure on the water, longer distance exploration voyages in often changeable and difficult conditions, and for performing observer or chase-boat duties at regatta events. With three powerful outboard engines driving this exceptionally stable craft at speeds in excess of 40 knots, the Rafnar 1100 Leisure is a 'get there fast - in safety and comfort' vessel, even in uncomfortable and changing sea conditions.





SPECIFICATIONS

LOA Beam Draft

Weight (lightship) Drivetrain

Max. speed Fuel capacity Passenger capacity

CE classification Construction Engineering & manufacturing 11.15 m 3.3 m

0.55 m

3800-4500 Kg

3x Mercury Outboard 3x 350 hp

50+ knots 3x 300 L

12 people

Vinylesther Vacuum infused

RAFNAR

ÖK HULL

With dramatic decrease in slamming impact up to 95% it directly affects wellbeing and safety on board. Minimized risk of injury or seasickness, and the ability to return operation-ready and safe to shore in severe weather conditions, are the primary reasons why professionals and leisure owners choose Rafnar, and what truly sets Rafnar apart from the competition.











PERFORMANCE & VERSATILITY

8.3M FAST TENDER

DO YOU NEED A TENDER FOR THE SEASON?
SHORT AND LONG TERM RENTAL POSSIBILITIES AVAILABLE

This lightweight yet strong tender allows for fast and safe transfer of provisions and guests.

Lightweight construction in carbon fibre is the key to tenders responsive handling and 40 knot top speed.

A fresh white finish contributes to this tenders practicality whilst the four shock-mitigating seats upholstered in orange hint improve comfort of the passengers during high impacts. The large centre console provides ample storage for toys and equipment.



SPECIFICATIONS

LOA Beam Storage Height Weight (lightship) Drivetrain Power Max. speed

Max. speed
Fuel capacity
Passenger capacity
CE classification
Construction

Engineering & manufacturing

8.3 m

2.6 m 1.7 m 1300 Kg

Mercruiser TDi 4.2L 260 hp

40 knots 400 L

> 12 people incl. crew B+C

Pre-preg carbon fibre


Xtenders

STANDARD EQUIPMENT

- GPS + Chart plotter
- VHF
- Instrumentation control package
- o Sound system with radio & speakers
- Vinyl upholstery package
- Deck Shower
- o Watertight storage lockers
- o Anchor
- o Fenders
- o Navigation lighting
- Shore power connection
- o battery charger
- o Bilge pump system
- Hydraulic steering

5 info@tendersx.com www.tenders







This Xtenders 12.3m Chase Vessel is a perfect multifunctional tender for any super yacht.

Running in the roughest weather conditions the tender will still provide a comfortable transfer for the guests. Her sleek lines and light, fresh interior will certainly turn heads!

The tender is made using the most advanced composite technology based on the pre-preg carbon fiber cured in autoclave maximizing the stiffness and strength of the hull. Due to her scalloped hull design and long waterline she is highly stable and dry.

Her full refit in the beginning of 2018 moreover included an engine change, plus the installment of double fridges and a full-option sun awning system. Her large storage areas can fit luggage and provisions for longer journeys and active day trips and towing operations are made easy as the comes equipped with a towing bridle.



SPECIFICATIONS

LOA 12.3 m 3.2 m Beam Storage Height 2.4 m Weight (lightship) 2400 Kg Drivetrain 2x Yamaha Outboard 600 hp Power Max. speed 48 knots **Fuel capacity** 400 L 12 people incl. crew Passenger capacity **CE** classification Construction Pre-preg carbon fibre **Engineering & manufacturing** Xtenders

STANDARD EQUIPMENT

GPS + Chart plotter

VHF

Instrumentation control package

Sound system with radio & speakers

Vinyl upholstery package

Deck Shower

Watertight storage lockers

o Anchor

o Fenders

Navigation lighting

Shore power connection

battery charger

Bilge pump system

Hydraulic steering

7 info@tendersx.com www.tenders







The tender is meant to facilitate a wide variety of water sport activities such as diving and kitesurfing in the most remote regions of the globe. Two shock mitigating seats located ahead of the 230 horsepower engine soften the ride when the tender is travelling at an eye wateringly quick top speed of 36+ knots.

This tender is very robustly designed with remote and adventurous operating locations. By installing a jet drive we were able to minimize the tender's draft whilst maximizing its operating area.





SPECIFICATIONS

Beam 2.6 m

Storage Height 2.0 m

Weight (lightship) 1450 Kg

Drivetrain Steyr MO256 K43

Power 230 hp

Max. speed 36 knots

Fuel capacity 400 L

Passenger capacity 12 people incl. crew

Pre-preg carbon fibre

Xtenders

Construction

CE classification

Engineering & manufacturing

GPS + Chart plotter


- \/**|**|||
- Instrumentation control package
- o Sound system with radio & speakers

STANDARD EQUIPMENT

- Vinyl upholstery package
- Deck Shower
- o Watertight storage lockers
- o Anchor
- o Fenders
- o Navigation lighting
- Shore power connection
- o battery charger
- Bilge pump system
- o Hydraulic steering

9 info@tendersx.com www.tende







The SV-480 rescue boat does fulfill the latest SOLAS requirements for commercial, seagoing vessels. The hull is made of fire retardant polyester and the tube is made of PU (Polyurethane) material, in orange color.

The boat comes with the required equipment, a lifting sling and a boat cover and with a SOLAS approved 40 HP Yamaha outboard engine.



SPECIFICATIONS

LOA Beam Weight (lightship)

Drivetrain

Fuel capacity Passenger capacity CE classification

Engineering & manufacturing

2.1 m

250 Kg


Yamaha outboard

Max. speed 26 knots

25 L

Construction polyester

Narwhal





WWW.TENDERSX.COM